




**1 SIDE WALL PARAPET FRAMING**  
SCALE 1-1/2"=1'




**2 PARAPET FRAMING AT TRUSS BEARING**  
SCALE 1"=1'



**3 WOOD BEAM BEARING DETAIL**  
SCALE 1/2"=1'



**4 BRICK LINTEL AT HIGH BAND**  
SCALE 1"=1'




**5 BEAM-COLUMN CONNECTION**  
SCALE 1-1/2"=1'


BEAM	No. BOLTS
W33	9
W30	8
W24	7
W18	5
W16	4
W14	4
W12	3
W8	2




**8 BEAM-COLUMN CONNECTION**  
SCALE 1-1/2"=1'




**9 PARTITION WALL TO TRUSS CONNECTION**  
SCALE 1"=1'




**6 DIAPHRAGM ANCHORAGE AT SIDE WALLS**  
SCALE 1-1/2"=1'




**7 STUD WALL/HSS COLUMN CONNECTION DETAIL**  
SCALE 1-1/2"=1'



**10 LVL/STEEL COLUMN CONNECTION**  
SCALE 1-1/2"=1'




**11 HSS LINTEL SECTION**  
SCALE 1-1/2"=1'




**12 WOOD SHEATHED SHEARWALL GENERAL CONFIGURATION DETAIL**  
SCALE 1/4"=1'


NOTE:  
AT WALL ENDS, WALL INTERSECTIONS, AND OTHER POINTS OF CONFLICT, HOLD-DOWNS MAY BE INSTALLED ON THE INSIDE FACE OF SHEARWALL BOUNDARY CHORD MEMBER.



**13 TRUSS BEARING AT STEEL BEAM**  
SCALE 1-1/2"=1'



**14 ROOF FRAMING AT LOW ROOF**  
SCALE 1"=1'



**15 ROOF FRAMING AT LOW ROOF**  
SCALE 1"=1'